

Design of Breeding Programs

Decisions in breeding programs



Where to go?

breeding objective (which traits)

Who and what to measure?

performance, DNA test


genetic evaluation

Who to select and mate?

reproductive technol.

gains vs inbreeding

Animal Breeding in a nutshell




Why do we need a design?

- **Genetic Improvement:**
 - Which animals to measure?
 - Where to select them?
 - Mating strategy
 - Reproductive and Genomic Technologies?
- **Dissemination of Genetic Superiority**
- **Inbreeding**

Basic Principle of making genetic progress


Mate the “best” to the “best”
and do that as quickly as possible

$$\text{Genetic Gain/yr} = \frac{\text{Genetic Superiority of parents}}{\text{Generation Interval}}$$


$$\text{Genetic Gain/yr} = \frac{\text{Sel Intensity} \times \text{Accuracy} \times \text{Genetic SD}}{\text{Generation Interval}}$$


Design Examples

- One-tier breeding program



Design Examples

One-tier breeding program




genetic improvement

measurement


Design Examples

Two-tier breeding program




Genetic merit of Nucleus versus Commercial

Rate of gain is the same in all tiers




Design Examples

3-tier breeding program



Design Examples


3-tier breeding program




Multiplication in Broiler Breeding Programs

Adapted from: Poultry Breeding and Genetics, Crawford (ed). Elsevier, 1990

From pure line with 200-500 females and 50--100 males



Structure of Swine (Poultry) Breeding Programs




Design Examples

Two-tier breeding program

Central Nucleus


(pigs, poultry, some dairy)



Commercial producers

or Dispersed

(sheep, cattle)



Commercial producers

Central Nucleus

(dairy)

More uniform testing

Can test more traits (FI)

Easier to apply MOET

What defines the nucleus?

Nucleus: could be defined as

”the mothers and fathers of the future bulls”

4 pathways:

dairy

selection of sires for sires

top AI sires

Elite matings

dams for sires

bull dams

Nucleus

**Commercial
producers**

sires for cows

average AI sires


dams for cows

normal cows

**Normal
matings**

Design Examples


Two-tier breeding program (can compare with 4 pathways)



Dispersed Nucleus

Nucleus: could be defined as

”the mothers and fathers of the future bulls”




Top studs

Delivering the genetics
of the future bulls

Other studs

Acquire their genetic
from top studs
Themselves being
merely multipliers

Local 'nucleus' can in fact be multiplier



Examples: Angus Australia breeding program
Holstein Australia Breeding program

Nucleus Breeding Schemes


Closed Nucleus

Replacement animals for nucleus only from nucleus

Selection only permanently effective in nucleus.

Nucleus objectives impact on whole scheme.

Common in pigs and poultry



Nucleus Breeding Schemes


Open Nucleus

Replacement animals for nucleus but also some from base

Selecting from base requires measurement in base

More genetic improvement than closed scheme (~15%)


Common in dairy




Open nucleus systems

- Select the best animals from lower tiers to compete for being nucleus parents
- degree of 'openness depends on
 - difference between nucleus and commercial
 - spread of their breeding values
- Open to nuclei


Open Nucleus



Open Nucleus: *effect of more information in base*



Benefit of selection in lower tier



Contributions of pathways

$$R = \frac{i_m r_m + i_f r_f}{L_m + L_f} \sigma_A$$

2 pathways

- | | <u>sel.int</u> | <u>sel.accur</u> |
|----------------------|----------------|------------------|
| • Selection of sires | 2 | .5-.8 |
| • Selection of dams | 0.5-1 | .5-.6 |
- $\rightarrow S_{\text{sires}} : S_{\text{dams}}$ at least varies from 2:1 to 5:1
 - Sire selection contribute more than 70%-90% to dG

Contributions of pathways

4 pathways in dairy

contribution to dG

- Selection of sires for sires 39%
- Selection of sires for cows 38%
- Selection of dams for sires 22%
- Selection of dams for dams 1%

Why need a design?

- Genetic improvement

Need decisions on

- which animals to measure or genotype *nucleus* *males (females)*
 - where to select them *nucleus/base*
 - mating strategy *best to best* → elite matings
-
- Dissemination of genetic superiority
 - Often a challenge when setting up a new program, esp in developing countries.
 - How to sell/give improved seedstock to local farmers

 - Inbreeding

Making genetic progress is about

Selecting only the very best

Selecting accurately

$$R = \frac{i_m r_m + i_f r_f}{L_m + L_f} \sigma_A$$


Keeping generation intervals short

Reproductive rates affect all of the above!

Reproductive technologies


- Increases selection intensities
- Increases accuracy of EBVs
- Decreases generation intervals
- Increases inbreeding

Adult dairy MOET scheme (1983)



More offspring of top cow *after* testing it

JIVET dairy scheme...



1998: Note that this is a bad design - EBV from grandparents!

2015: Maybe it isn't when we use genomics selection!

Development of Breeding Strategies

Summary

- Integration of the components of a breeding program into a structured system for genetic improvement, with the aim to maximize an overall objective (genetic gain, market share).
- Evaluate opportunities for improving upon current strategies.
- Evaluate the potential of new technologies.
 - ◆ How can they best be incorporated into current strategies?
 - ◆ Can their benefits best be capitalized on in a redesigned breeding structure?

Breeding Strategies - Summary

What tools are necessary to develop optimal strategies?

- Quantitative genetics theory
 - ◆ Predicting response to selection, selection index, inbreeding, etc.
- Systems analysis
 - ◆ Predicting and optimizing response in overall objective
- Common sense
- An open mind